

1. Background and Purpose

The Nitrate Control Program established by the Central Valley Regional Water Quality Control Board (Central Valley Water Board) in the Water Quality Control Plan for the Sacramento and San Joaquin River Basins provides two pathways for compliance for permitted discharges of nitrate to groundwater. Pathway A is for individual permittees and follows a more traditional permitting approach. Pathway B is for permittees proposing to be regulated under a Management Zone. Both Pathways require the development of an Early Action Plan (EAP) defined as a plan that identifies specific activities, and a schedule for implementing those activities, that will be undertaken to ensure immediate access to safe drinking water for those who are dependent on groundwater from wells that exceed the primary maximum contaminant level (MCL) for nitrate (10 mg/L nitrate as nitrogen [N]). While these wells are primarily domestic wells, this EAP also addresses areas where public water supply wells have nitrate levels exceeding the water quality objective.

This EAP is intended to be a bridge until it is superseded by the requirements established in the approved Management Zone Implementation Plan established for this Management Zone.

1.1 Early Action Plan Requirements

An EAP must include the following, unless otherwise approved by the Central Valley Water Board's Executive Officer:

- i. A process to identify affected residents and the outreach utilized to ensure that impacted groundwater users are informed of and given the opportunity to participate in the development of proposed solutions;
- ii. A process for coordinating with others that are not dischargers to address drinking water issues, which must include consideration of coordinating with affected communities, domestic well users and their representatives, the State Water Resources Control Board's (State Water Board) Division of Drinking Water (DDW), Local Planning Departments, Local County Health Officials, Sustainable Groundwater Management Agencies (SGMA) and others as appropriate;
- iii. Specific actions and a schedule of implementation that is as short as practicable to address the immediate drinking water needs of those initially identified within the management zone, or area of contribution for a Path A discharger, that are drinking groundwater that exceeds nitrate standards and that do not otherwise have interim replacement water that meets drinking water standards; and

- iv. A funding mechanism for implementing the Early Action Plan, which may include seeking funding from Management Zone participants, and/or local, state and federal funds that are available for such purposes;

For participants in a Management Zone, the EAP is submitted to the Central Valley Water Board with the submittal of a Preliminary Management Zone Proposal. Implementation of the EAP shall begin as soon as is reasonably feasible, but no later than 60 days after submittal, unless the Central Valley Water Board deems the EAP to be incomplete.

1.2 EAP Framework

1.2.1 Workflow

Figure 1-1 provides an overview of the key work elements included in this EAP: Identification of residents potentially impacted by nitrates in their drinking water source (see Section 4), outreach activities to the general public in the Management Zone and identified residents within the area covered by the EAP (see Section 5) and development of temporary alternative drinking water sources (see Section 5). These work elements will be coordinated with non-dischargers within the Management Zone and activities will be documented through monitoring and reporting activities.

1.2.2 Area of Applicability

The Preliminary Management Zone Proposal applies to the Management Zone proposed for the Kings River East GSA/Alta Irrigation District (KRE/AID) area in the eastern portion of the Kings groundwater water subbasin (**Figure 1-2**). This EAP applies to the area within KRE/AID Management Zone boundary where nitrate in the Upper Zone of the underlying groundwater is expected to exceed the nitrate water quality objective (**Figure 1-3**). Section 2 provides the basis for how this area was determined.

1.2.3 Participants

This EAP will be implemented by all declared participants of the KRE/AID Management Zone. A participant is an individual discharger subject to Waste Discharge Requirements or dischargers that are part of a third-party group subject to a General Order that have filed a Notice of Intent to the Central Valley Water Board documenting that they have opted to comply with the Nitrate Control Program through Path B, i.e., participation in a Management Zone. The participants of this Management Zone are named in the Preliminary Management Zone Proposal.




Figure 1-1. Early Action Plan Workflow Activities (AWP – Alternative Water Program; PAWF – Public Access Water Facilities)




Figure 1-2. Location of Proposed KRE/AID Management Zone within the Kings Groundwater Subbasin




Figure 1-3. KRE/AID Management Zone Boundary

1.3 Community Outreach to Develop EAP Approach

Placeholder - To be developed before EAP finalized, expected content to include:

- *Process to develop EAP, including stakeholder participation*
- *Community outreach activities to receive public comments*
- *Summary of how community comments were addressed*

1.4 EAP Effective Date

The effective date of this EAP is [within 60 days of submittal date for Preliminary Management Proposal], unless the Central Valley Water Board issues a formal objection. This EAP will remain in effect until it is superseded by the requirements established in the approved Management Zone Implementation Plan established for this Management Zone.

1.5 Early Action Plan Review

At a minimum, the Management Zone will annually review the requirements and schedule for the implementation of this EAP during development of status reports (see Section 5.4). More frequent reviews may occur at the discretion of the Management Zone. This review will include, but may not be limited to:

- Evaluation of available monitoring data from the temporary water provision program, including information on usage of public access water locations and potential need for additional public facilities.
- Knowledge gained from implementation of the Alternative Water Program.
- Outcomes from ongoing public outreach activities.
- Input from Management Zone participants and non-dischargers within the Management Zone area.

The Management Zone will submit any recommended revisions to the EAP to the Executive Officer of the Central Valley Water Board (these recommendations may be submitted by letter or as part of an EAP status report – see Section 5.4). Unless the Central Valley Water Board objects to the recommended revisions to this EAP, the Management Zone will begin implementation of the revised EAP within 60 days of submittal.

2. Identification of Potentially Impacted Groundwater Users

2.1 Nitrate-impacted Areas

To support development of the KRE/AID Preliminary Management Zone Proposal, nitrate groundwater data were updated using various publicly available sources, including the State Board's DDW, Geotracker Groundwater Ambient Monitoring and Assessment (GAMA) data, and the previously developed Central Valley Salinity Alternatives for Long-term Sustainability (CV-SALTS) salt and nitrate database. These data were complemented by data requested from county departments. Groundwater data were categorized into depth zones, following previously developed CV-SALTS best management practices, and wells completed in the Upper Zone of the groundwater aquifer were used to determine recent average ambient nitrate concentrations for data since the year 2000.

The Upper Zone average nitrate concentrations for wells in the Management Zone were used to produce a geospatial analysis of ambient conditions across the Management Zone. **Figure 2-1** shows the KRE/AID Management Zone with the estimated ambient nitrate conditions in the Upper Zone, representing average groundwater quality conditions since 2000 (see Section 3 of the Preliminary Management Zone Proposal for information regarding the development of Figure 2-1). For the KRE/AID Management Zone, groundwater quality data for wells completed in the Upper Zone were attainable for the majority of the area, with only a few areas on the northeastern edges of the Management Zone that had less data compared to the central portion.

Using the available nitrate dataset, it is evident that there are several nitrate-impacted areas within the Management Zone, here defined by average recent nitrate concentrations in the Upper Zone exceeding the MCL of 10 mg/L nitrate as N. Figure 2-1 depicts these nitrate-impacted areas. The largest nitrate-impacted area occurs in the central to eastern portion of the Management Zone, stretching south and covering most of the southeast and southwest parts of the Management Zone. The northwest portion and a few pockets in the Management Zone exhibit lower concentrations of nitrate in the Upper Zone.

2.2 Public Water Supply Sources

2.2.1 Public Water Supply Systems

Public Water Systems (PWS) are defined as systems that provide drinking water to: (1) at least 15 households for Community systems; or (2) at least 25 people 60 days or more per year for non-Community systems. Non-Community systems include any facility that provides drinking water, such as churches, rest stops, stores, schools, businesses, etc. (**Table 2-1**).




Figure 2-1. Updated Ambient Post-2000 Nitrate Concentrations in the Upper Zone, KRE/AID Management Zone

Table 2-1. Classification of water systems by constituency, connections, and duration of service per year (adapted from Boyle et al. 2012)

Duration of Service	Connections:		< 5	5 +	< 15	15 +	< 200	200 +	
	Persons Served:		< 25			25+			
N/A	Small Water System (SWS) ¹	Classification Defined By	Connections						
< 60 days/year	Local Small Water System (LSWS)		Connections & (persons, duration)						
< 60 days/year	State Small Water System (SSWS)			Connections & (persons, duration)					
≥ 60 days/year	Community Public Water System (PWS) ²						Connections or (persons, duration)		

¹ Classification as a SWS does not preclude classification as any of the other types. SWS may be regulated by DDW or by Local Primary Agency county.

² A PWS is a system for the provision of water for human consumption that has 15 or more service connections OR regularly serves at least 25 individuals at least 60 days per year.

PWS, which are regulated by DDW, are required to submit water samples of their raw and delivered water for a broad suite of regulated constituents on various schedules that depend on the constituent and the source water context. All PWS data on water quality, source locations, service areas, and historical data are publicly available on the State Water Board website.¹

2.2.2 State Small Water Systems

State Small Water Systems (SSWS) are defined as systems serving at least five but not more than 14 residential households. Typically, SSWSs are regulated by county environmental health departments; regulatory oversight of these systems varies by county. Typically, counties require submission of water quality samples annually (at most) for a smaller set of constituents than monitored by a PWS.

SSWS data are public; however, most counties in the state do not have these data compiled in any easily accessible format. Many counties require a fee for data retrieval for these systems. Typically, the data available include sporadic water quality data for a few constituents, and the original permit for the system. The permit typically includes information on the construction of the water source (well) and the street where service is provided.

2.2.3 Local Small Water Systems

Local Small Water Systems (LSWS) include residential systems serving two to four households. Most counties regulate LSWS as if they were simply private wells – that is, they are unregulated except for the requirements associated with the drilling permit. Typically, no

¹ <https://data.ca.gov/dataset/drinking-water-public-water-system-information>

information is available to identify the difference between a single-household well and one used for a LSWS.

2.3 Potentially-Impacted Public Supply Wells

2.3.1 Public Supply Wells in the Management Zone

Elevated nitrate concentrations have been found in many PWS wells. The State Water Board’s Drinking Water Source and Water Systems identification documentation was downloaded from DDW to understand how many systems have active versus inactive wells that have nitrate (as N) at or exceeding the MCL. This documentation provides a status code for each well, as well as a population served and number of connections for each water system.

Wells with any measurement of raw untreated water having nitrate at or exceeding the MCL were extracted from the database to determine if the wells are actively providing water to the water system or have been abandoned, destroyed, or inactive. In the KRE/AID Management Zone, a total of 60 public supply wells from DDW have met or exceeded the MCL for nitrate. Of those, 32 wells are considered “Active” (Active Raw, meaning the groundwater is sampled directly from the well; or Active Untreated, meaning the groundwater is sampled at a point between the well and a treatment system); the remainder are either inactive (21 wells), standby wells (1 wells), abandoned wells (1 well), destroyed wells (2 wells), or pending (unknown status, 3 wells). Using the population served for the water systems that have active wells impacted by nitrate, there are 39 unique water systems with active wells exceeding the MCL, which translates to a population served of 19,543. This is an overestimate of impacted persons, as some PWSs have treatment systems to remove nitrate prior to delivery to consumers.

The active public supply wells that have concentrations at or exceeding the MCL are located mostly near Orange Cove, Cutler, Orosi, Dinuba, and elsewhere in the southern half of the Management Zone (**Figure 2-2**). In some areas of the Management Zone, there are PWSs with no records of active public supply wells that are at or exceeding the nitrate MCL. These areas include: Reedley and London Community Services District (CSD).

California Department of Water Resources (DWR) summarizes Well Completion Reports (WCRs) by section (one-mile grid throughout the state). Within each section, the locations of the wells are not provided. Figure 2-2 shows randomly generated locations for the domestic drinking water wells in DWR’s WCR database within each section in the Management Zone, as well as the service area boundaries of PWSs available in the area. PWS service area boundaries, compiled by the California Environmental Health Tracking Program (CEHTP), are publicly available.




Figure 2-2. Potentially Impacted Public Water Supply Wells and All Domestic Wells, KRE/AID Management Zone

Table 2-2 lists the 60 public supply wells from the DDW database that have concentrations at or exceeding the nitrate MCL for the entire period of record. This table provides:

- (a) Summary of the nitrate data available for the individual well, including:
 - i. Date range of measurements;
 - ii. Number of measurements;
 - iii. Range of nitrate measurements; and
 - iv. Date of the most recent nitrate exceedance.
- (b) Well system characteristics, including:
 - i. Well status (active, inactive, etc.);
 - ii. Water system the well provides water to;
 - iii. Water system type (community, non-community, etc.);
 - iv. Number of connections; and
 - v. Population served by that water system.

Table 2-3 provides the list of 39 unique public water supply systems that have had at least one well where nitrate concentrations are at or exceeding the MCL. This table provides:

- (a) Water system number (as identified by DDW);
- (b) Water system name;
- (c) Water system type;
- (d) Number of connections (which ranges from one to 6,719);
- (e) Number of wells in each well status category that are at or exceeding the nitrate MCL;
- (f) Population served by the PWS; and
- (g) If the PWS has an active impacted well, the population of potentially affected people served by the PWS (based on an estimated total of 19,543 people).

Attachment H – Early Action Plan: November 2019 Draft

Table 2-2. Nitrate-Impacted Public Supply Well Summary by Well Status

Well ID	Other Well Name	Date Range	Number of Measure-ments	Min NO ₃ N ¹	Max NO ₃ N	Most Recent NO ₃ Exceedance	Well Status ²	DDW Water System Name	PWS Type ³	No. of Connections	Population Served
5410008-009	WELL 09 - TEST HOLE	1/20/2005 - 1/20/2005	1	11.0	11.0	1/20/2005	AB	OROSI PUBLIC UTILITY DISTRICT	C	1628	8770
1000479-001	WELL 01 - BEFORE GAC (DBCP) - RAW	1/21/2009 - 7/5/2018	73	6.5	12.0	7/2/2014	AR	FRANZIA WINERY-SANGER	NTNC	2	41
1000608-001	WELL 01 - RAW	10/23/2012 - 7/11/2018	15	11.0	15.0	7/11/2018	AR	GERAWAN FRUIT PACKING	NC	1	298
1000625-001	WELL 01 - RAW	4/12/2016 - 1/16/2018	7	12.0	15.0	1/16/2018	AR	EAST REEDLEY STORE	NC	4	25
5400550-001	WELL 01 - RAW	7/6/2009 - 7/9/2018	55	2.2	10.0	12/14/2009	AR	SEVILLE WATER CO	C	77	400
5400917-001	WELL 01 - RAW	10/11/2005 - 4/14/2016	74	0.4	53.5	4/14/2016	AR	SHOP N GO	NC	1	25
5402024-001	WELL 01 - DESTROYED	2/20/2002 - 1/31/2018	20	0.5	12.0	10/24/2012	AR	KINGS RIVER MARKET	NC	2	100
5402039-001	WELL 01 - RAW	12/15/2008 - 7/20/2018	21	6.5	10.0	12/16/2009	AR	SEVILLE MARKET	NC	4	100
5403043-001	WELL 01 - PRE NO3 BLEND	3/27/2002 - 9/4/2018	193	5.6	15.0	6/18/2018	AR	YETTEM WATER SYSTEM	C	64	350
5403046-002	WELL 02 - RAW	10/7/2016 - 7/23/2018	8	6.6	49.0	7/23/2018	AR	VISALIA CITRUS PACKING-ORANGE COVE	NTNC	7	70
5403205-001	WELL 01	7/27/2016 - 9/17/2018	9	17.7	23.5	9/17/2018	AR	PENA'S DISPOSAL SERVICES	NTNC	4	77
5403210-001	WELL 01	10/27/2016 - 9/5/2017	2	19.0	23.0	9/5/2017	AR	HAPPY APPLE A CALIFORNIA CORPORATION	NTNC	30	25
5403211-002	WELL 02 - WEST WELL	1/27/2017 - 7/6/2018	8	16.0	36.0	7/6/2018	AR	BOOTH RANCHES LLC	NTNC	3	110
5410001-003	WELL 05 - RAW	2/12/1987 - 8/7/2018	187	0.2	10.0	4/3/2018	AR	CUTLER PUD	C	1218	6200
5410001-004	WELL 06 - RAW (INACTIVE NO3 & DBCP)	2/12/1987 - 3/10/2015	330	0.2	13.0	3/10/2015	AR	CUTLER PUD	C	1218	6200
5410008-008	WELL 08-RAW	8/1/1996 - 5/25/2018	153	3.2	11.3	3/11/2003	AR	OROSI PUBLIC UTILITY DISTRICT	C	1628	8770
5400523-001	WELL 01 - DRY (6-2015)	10/28/2002 - 4/15/2015	49	0.2	17.6	4/15/2015	AU	EL MONTE VILLAGE MHP	C	49	100

Attachment H – Early Action Plan: November 2019 Draft

Table 2-2. Nitrate-Impacted Public Supply Well Summary by Well Status

Well ID	Other Well Name	Date Range	Number of Measure-ments	Min NO ₃ N ¹	Max NO ₃ N	Most Recent NO ₃ Exceedance	Well Status ²	DDW Water System Name	PWS Type ³	No. of Connections	Population Served
5400548-001	WELL 01 - RAW	6/7/2002 - 6/18/2018	58	0.2	17.0	6/18/2018	AU	KINGS INN MOTEL	NC	1	189
5400553-001	WELL 01 - NORTH INAC2015	12/21/2001 - 8/7/2018	42	0.8	24.3	8/7/2018	AU	TRAVER WATER LLC	C	180	634
5400797-002	WELL 01 - NORTH	1/13/2003 - 12/29/2015	37	0.2	10.6	9/28/2011	AU	TULARE CO CORRECTIONAL CTR RD CAMP	NTNC	19	500
5401003-001	WELL 01 - EAST (OFFLINE - REPAIRS 2015)	1/14/2002 - 9/19/2018	42	0.4	14.4	9/19/2018	AU	EAST OROSI CSD	C	106	700
5401003-002	WELL 02 - WEST	1/14/2002 - 7/20/2018	106	0.2	14.3	7/20/2018	AU	EAST OROSI CSD	C	106	700
5401076-002	WELL 02 - RAW	10/18/2005 - 7/9/2018	37	2.0	10.9	4/19/2018	AU	GOLDEN STATE VINTNERS	NTNC	3	46
5401082-001	WELL 01 - INACTIVE	12/9/2002 - 10/13/2016	34	0.1	15.8	10/13/2016	AU	VENTURA COASTAL, LLC - VISALIA DIVISION	NTNC	5	50
5401094-002	WELL 02	12/23/2008 - 12/28/2015	7	4.5	14.0	12/21/2012	AU	RJ'S TRAVEL CENTER	NC	1	103
5402043-001	WELL 01 - RAW	1/7/2003 - 7/17/2018	55	12.6	18.5	7/17/2018	AU	MONSON MARKET	NC	2	30
5402056-001	WELL 01 - INACTIVE	6/5/2002 - 11/9/2016	40	2.5	45.2	5/24/2016	AU	PEOPLES GROCERY	NC	2	100
5403041-001	WELL 01 - RAW	4/16/2002 - 7/9/2018	45	4.2	15.2	7/9/2018	AU	FAMILY TREE FARMS	NTNC	3	30
5403046-001	WELL 01 - RAW	3/14/2002 - 7/23/2018	37	0.9	34.0	7/23/2018	AU	VISALIA CITRUS PACKING-ORANGE COVE	NTNC	7	70
5403080-001	WELL 01	6/19/2002 - 7/16/2018	32	3.5	10.8	5/3/2007	AU	FRUIT PATCH INC	NTNC	1	125
5403081-001	WELL 01	12/24/2002 - 7/16/2018	29	2.3	17.7	7/18/2017	AU	PETERS FRUIT FARMS, INC	NTNC	1	125
5403114-002	WELL 02 (1 WELL W/ 2 PUMPS)-RAW	1/28/2003 - 2/16/2018	21	2.9	11.0	9/17/2014	AU	TRAVER FEEDMILL PWS	NTNC	3	85
5403152-001	WELL 01 NORTH - INACTIVE	1/7/2015 - 12/6/2016	2	11.0	11.0	12/6/2016	AU	MOUNTAIN VIEW COLD STORAGE	NTNC	3	135
5410002-009	WELL 09 - DESTROYED	7/19/1989 - 3/17/1997	15	0.2	12.0	6/17/1996	DS	DINUBA, CITY OF	C	6719	24657

Attachment H – Early Action Plan: November 2019 Draft

Table 2-2. Nitrate-Impacted Public Supply Well Summary by Well Status

Well ID	Other Well Name	Date Range	Number of Measure-ments	Min NO ₃ N ¹	Max NO ₃ N	Most Recent NO ₃ Exceedance	Well Status ²	DDW Water System Name	PWS Type ³	No. of Connections	Population Served
5410002-012	WELL 12 - DESTROYED	7/19/1989 - 11/13/1998	21	0.2	12.0	11/10/1998	DS	DINUBA, CITY OF	C	6719	24657
1000343-001	WELL 01 - RAW	5/22/2008 - 10/11/2012	17	5.2	15.8	10/11/2012	IR	HARDING & LEGGETT- PACKING FACILITY	NTNC	1	85
1010023-005	WELL 06 - INACT 2004	9/8/1988 - 7/18/2003	12	0.2	20.3	7/18/2003	IR	CITY OF ORANGE COVE	C	1485	9780
1010023-008	WELLS ONLY (COMBINED) - INACT 2004	9/4/2001 - 3/1/2004	28	1.1	21.5	3/1/2004	IR	CITY OF ORANGE COVE	C	1485	9780
1010023-009	BLEND AT CLEARWELL- INACT 2004	9/4/2001 - 4/23/2004	127	0.2	16.5	11/14/2003	IR	CITY OF ORANGE COVE	C	1485	9780
1000608-004	WELL 02 - STANDBY	2/4/2014 - 4/7/2017	2	0.2	12.0	2/4/2014	IU	GERAWAN FRUIT PACKING	NC	1	298
1010023-001	WELL 10 (CITRUSSCH) - INACTIVE 2004	10/19/1988 - 7/18/2003	10	0.2	11.1	7/18/2003	IU	CITY OF ORANGE COVE	C	1485	9780
1010023-003	WELL 03 - INACT 2004	9/15/1988 - 7/18/2003	14	0.2	15.0	7/18/2003	IU	CITY OF ORANGE COVE	C	1485	9780
1010023-004	WELL 05 - INACTIVE 2003	9/8/1988 - 6/24/1998	6	11.0	20.0	6/24/1998	IU	CITY OF ORANGE COVE	C	1485	9780
1010023-006	WELL 08 - INACT 2004	9/30/1988 - 7/18/2003	16	0.2	12.2	7/18/2003	IU	CITY OF ORANGE COVE	C	1485	9780
5400634-001	WELL 01	4/25/2002 - 4/7/2011	9	8.5	13.0	4/7/2011	IU	LOVELL HIGH SCHOOL	NTNC	1	60
5400636-001	WELL 01 - DESTROYED	4/25/2002 - 9/9/2014	17	7.5	20.3	9/9/2014	IU	OROSI HIGH SCHOOL	NTNC	14	1200
5400797-001	WELL 02 - OLD SOUTH - INACTIVE	1/30/2002 - 11/23/2015	4	3.5	10.8	10/3/2011	IU	TULARE CO CORRECTIONAL CTR RD CAMP	NTNC	19	500
5402022-001	WELL 01 - INACTIVE - IRRIGATION	7/16/2002 - 7/16/2007	11	3.1	15.5	1/8/2007	IU	TRAVER VALLEY FARMS	NTNC	3	25
5402047-001	WELL 01 - INACTIVE	4/12/2002 - 1/14/2016	29	0.2	26.0	10/11/2010	IU	GLEANNINGS FOR THE HUNGRY	NC	12	31
5403045-002	WELL 02	2/6/2002 - 1/31/2011	28	4.9	12.1	10/6/2009	IU	IMMANUEL SCHOOL	NTNC	1	35
5403080-002	WELL 02 - DESTROYED	7/16/2002 - 10/19/2016	51	3.7	12.1	7/8/2015	IU	FRUIT PATCH INC	NTNC	1	125

Attachment H – Early Action Plan: November 2019 Draft

Table 2-2. Nitrate-Impacted Public Supply Well Summary by Well Status

Well ID	Other Well Name	Date Range	Number of Measure-ments	Min NO ₃ N ¹	Max NO ₃ N	Most Recent NO ₃ Exceedance	Well Status ²	DDW Water System Name	PWS Type ³	No. of Connections	Population Served
5410001-001	WELL 04 - INACTIVE - NITRATES	2/12/1987 - 12/10/1998	22	7.2	11.0	12/10/1998	IU	CUTLER PUD	C	1218	6200
5410001-002	WELL 03 - INACTIVE	2/12/1987 - 3/26/1992	10	7.9	14.0	3/26/1992	IU	CUTLER PUD	C	1218	6200
5410002-003	WELL 03-INAC SEP-09 HIGH NO3	7/19/1989 - 9/22/2009	118	0.2	18.0	9/30/2008	IU	DINUBA, CITY OF	C	6719	24657
5410008-005	WELL 06 - INACTIVE	11/20/1986 - 7/17/2002	24	8.4	44.7	7/17/2002	IU	OROSI PUBLIC UTILITY DISTRICT	C	1628	8770
5410040-001	WELL 01 - EAST WELL - STANDBY	4/27/1990 - 12/19/2001	4	8.6	10.0	12/19/2001	IU	CENTRAL VALLEY WATER COMPANY	NTNC	90	0
5400636-002	WELL 02	3/23/2010 - 6/14/2018	14	4.1	11.0	6/14/2018	PN	OROSI HIGH SCHOOL	NTNC	14	1200
5402047-018	WELL 03 - RAW	1/24/2011 - 8/9/2018	46	16.2	47.0	8/9/2018	PN	GLEANNINGS FOR THE HUNGRY	NC	12	31
5403211-004	WELL 03 - SOUTH	3/24/2017 - 7/6/2018	7	32.0	40.0	7/6/2018	Pending – PN	BOOTH RANCHES LLC	NTNC	3	110
5400824-002	WELL 02 - SOUTH STBY	11/12/2007 - 2/9/2018	16	0.3	11.7	8/23/2013	Standby Untreated – SU	SULTANA CSD	C	180	775

¹ Non-detectable nitrate concentrations are reported as 0.225 mg/L as N

² Well Status: AB = Abandoned; AR = Active Raw; AU = Active Untreated; DS = Destroyed; IR = Inactive Raw; IU = Inactive Untreated; PN = Pending; SU = Standby Untreated.

³ PWS Type: C = Community Water Systems; NC = Non-Community Water Systems; NTNC = Non-Transient Non-Community Water Systems

Attachment H – Early Action Plan: November 2019 Draft

Table 2-3. Summary of Public Water Supply Systems that have Nitrate-Impacted Wells

DDW No.	System Name	PWS Type	No. of Connections	Number of Wells in Public Water Supply System \geq 10 mg/L NO ₃ -N by Well status							Population Served	Estimated Potentially Affected Population with Active Wells $>$ 10 mg/L as NO ₃ -N
				Active Wells	Inactive Wells	Standby Wells	Abandoned Wells	Destroyed Wells	Pending Wells (Unknown)	No. of Wells \geq 10 mg/L NO ₃ -N		
1000343	HARDING & LEGGETT-PACKING FACILITY	NTNC	1	0	1	0	0	0	0	1	85	0
1000479	FRANZIA WINERY-SANGER	NTNC	2	1	0	0	0	0	0	1	41	41
1000608	GERAWAN FRUIT PACKING	NC	1	1	1	0	0	0	0	2	298	298
1000625	EAST REEDLEY STORE	NC	4	1	0	0	0	0	0	1	25	25
1010023	CITY OF ORANGE COVE	C	1485	0	7	0	0	0	0	7	9780	0
5400523	EL MONTE VILLAGE MHP	C	49	1	0	0	0	0	0	1	100	100
5400548	KINGS INN MOTEL	NC	1	1	0	0	0	0	0	1	189	189
5400550	SEVILLE WATER CO	C	77	1	0	0	0	0	0	1	400	400
5400553	TRAVER WATER LLC	C	180	1	0	0	0	0	0	1	634	634
5400634	LOVELL HIGH SCHOOL	NTNC	1	0	1	0	0	0	0	1	60	0
5400636	OROSI HIGH SCHOOL	NTNC	14	0	1	0	0	0	1	2	1200	0
5400797	TULARE CO CORRECTIONAL CTR RD CAMP	NTNC	19	1	1	0	0	0	0	2	500	500
5400824	SULTANA CSD	C	180	0	0	1	0	0	0	1	775	0
5400917	SHOP N GO	NC	1	1	0	0	0	0	0	1	25	25
5401003	EAST OROSI CSD	C	106	2	0	0	0	0	0	2	700	700
5401076	GOLDEN STATE VINTNERS	NTNC	3	1	0	0	0	0	0	1	46	46

Attachment H – Early Action Plan: November 2019 Draft

Table 2-3. Summary of Public Water Supply Systems that have Nitrate-Impacted Wells

DDW No.	System Name	PWS Type	No. of Connections	Number of Wells in Public Water Supply System \geq 10 mg/L NO ₃ -N by Well status							Population Served	Estimated Potentially Affected Population with Active Wells > 10 mg/L as NO ₃ -N
				Active Wells	Inactive Wells	Standby Wells	Abandoned Wells	Destroyed Wells	Pending Wells (Unknown)	No. of Wells \geq 10 mg/L NO ₃ -N		
5401082	VENTURA COASTAL, LLC - VISALIA DIVISION	NTNC	5	1	0	0	0	0	0	1	50	50
5401094	RJ'S TRAVEL CENTER	NC	1	1	0	0	0	0	0	1	103	103
5402022	TRAVER VALLEY FARMS	NTNC	3	0	1	0	0	0	0	1	25	0
5402024	KINGS RIVER MARKET	NC	2	1	0	0	0	0	0	1	100	100
5402039	SEVILLE MARKET	NC	4	1	0	0	0	0	0	1	100	100
5402043	MONSON MARKET	NC	2	1	0	0	0	0	0	1	30	30
5402047	GLEANINGS FOR THE HUNGRY	NC	12	0	1	0	0	0	1	2	31	0
5402056	PEOPLES GROCERY	NC	2	1	0	0	0	0	0	1	100	100
5403041	FAMILY TREE FARMS	NTNC	3	1	0	0	0	0	0	1	30	30
5403043	YETTEM WATER SYSTEM	C	64	1	0	0	0	0	0	1	350	350
5403045	IMMANUEL SCHOOL	NTNC	1	0	1	0	0	0	0	1	35	0
5403046	VISALIA CITRUS PACKING-ORANGE COVE	NTNC	7	2	0	0	0	0	0	2	70	70
5403080	FRUIT PATCH INC	NTNC	1	1	1	0	0	0	0	2	125	125
5403081	PETERS FRUIT FARMS, INC	NTNC	1	1	0	0	0	0	0	1	125	125
5403114	TRAVER FEEDMILL PWS	NTNC	3	1	0	0	0	0	0	1	85	85
5403152	MOUNTAIN VIEW COLD STORAGE	NTNC	3	1	0	0	0	0	0	1	135	135
5403205	PENA'S DISPOSAL SERVICES	NTNC	4	1	0	0	0	0	0	1	77	77

Attachment H – Early Action Plan: November 2019 Draft

Table 2-3. Summary of Public Water Supply Systems that have Nitrate-Impacted Wells

DDW No.	System Name	PWS Type	No. of Connections	Number of Wells in Public Water Supply System \geq 10 mg/L NO ₃ -N by Well status							Population Served	Estimated Potentially Affected Population with Active Wells > 10 mg/L as NO ₃ -N
				Active Wells	Inactive Wells	Standby Wells	Abandoned Wells	Destroyed Wells	Pending Wells (Unknown)	No. of Wells \geq 10 mg/L NO ₃ -N		
5403210	HAPPY APPLE A CALIFORNIA CORPORATION	NTNC	30	1	0	0	0	0	0	1	25	25
5403211	BOOTH RANCHES LLC	NTNC	3	1	0	0	0	0	1	2	110	110
5410001	CUTLER PUD	C	1218	2	2	0	0	0	0	4	6200	6200
5410002	DINUBA, CITY OF	C	6719	0	1	0	0	2	0	3	24657	0
5410008	OROSI PUBLIC UTILITY DISTRICT	C	1628	1	1	0	1	0	0	3	8770	8770
5410040	CENTRAL VALLEY WATER COMPANY	NTNC	90	0	1	0	0	0	0	1	0	0

2.3.2 Public Water System Delivered Water Treatment Status

Although there are many active wells that have been tested for nitrate with results indicating nitrate concentrations are at or exceeding the MCL of 10 mg/L nitrate as N, many PWSs have treatment facilities to remove nitrate prior to the water being delivered to consumers. Using the best information readily available, it is possible to find DDW sources of water for PWSs that are categorized as “treated”. This includes the following potential DDW-defined well statuses:

- *AT – Active Treated:* An active source which is sampled after any treatment.
- *CT – Combined Treated:* Combined sources which are treated.
- *DT – Distribution System Sample Point, Treated:* Sample point within the distribution system after treatment.
- *IT – Inactive Treated:* A source which is not in service for periods of one year or greater and which provides treated water to a system.
- *ST – Standby Treated:* A source which is used less than 15 calendar days per year, with periods not to exceed five consecutive days and which provides raw water which is sampled after treatment.

Just because a water system has a treated source, does not necessarily mean that the water system treats its water for nitrate (a treated source may mean chlorination prior to being distributed, or possible treatment for other contaminants such as organic chemicals). PWSs typically treat elevated nitrate by using blending, reverse osmosis (RO; membrane technology), ion exchange (IX), or biological or chemical nitrate removal via denitrification (less common). Out of the 39 unique public water systems with potentially impacted water supply wells: (a) 27 have some form of water treatment, as gleaned from the DDW database of sources with one or more of the well statuses listed above; (b) 13 water systems provide nitrate sample results from their treated sources; and (c) seven water systems name the nitrate treatment (blending, RO, IX, etc.) in the source name reported to DDW. Out of the 13 water systems that provide nitrate sample results from treated sources, six of those water systems had nitrate samples from treated sources that still exceeded the nitrate MCL (greater than 10 mg/L as N).

Table 2-4 summarizes the water system treatment information that is available from DDW. **Figure 2-3** shows the Management Zone and the public supply wells that have met or exceeded the nitrate MCL, but it circles the water systems that have treated water sources (according to well status data from DDW). The color of the circle indicates whether the water system has had a nitrate sample from a treated source that exceeds the MCL (greater than 10 mg/L as N). If nitrate treatment was indicated in the DDW source name, the treatment method is listed on the map as well.

Attachment H – Early Action Plan: November 2019 Draft

Table 2-4 Treatment of Water Systems with Nitrate-Impacted Wells (Shaded cells indicate past exceedance)

DDW No.	System Name	PWS Type	No. of Connections	Population Served	Has A Treated Water Source Filed with DDW?*	Nitrate Treatment Mentioned in Source Name	Has Nitrate Samples from Treated Source(s) Filed with DDW?	Has Treated Sources with Nitrate Exceeding MCL (> 10 mg/L as N)?	Most Recent Exceedance for a Treated Source
1000343	HARDING & LEGGETT-PACKING FACILITY	NTNC	1	85	Y	-	-	-	-
1000479	FRANZIA WINERY-SANGER	NTNC	2	41	Y	Blending	Y	Y	6/6/2014
1000608	GERAWAN FRUIT PACKING	NC	1	298	Y	-	Y	-	-
1000625	EAST REEDLEY STORE	NC	4	25	Y	Nitrate Removal	Y	Y	8/2/2018
1010023	CITY OF ORANGE COVE	C	1485	9780	Y	-	Y	-	-
5400523	EL MONTE VILLAGE MHP	C	49	100	-	-	-	-	-
5400548	KINGS INN MOTEL	NC	1	189	Y	-	-	-	-
5400550	SEVILLE WATER CO	C	77	400	Y	-	Y	-	-
5400553	TRAVER WATER LLC	C	180	634	-	-	-	-	-
5400634	LOVELL HIGH SCHOOL	NTNC	1	60	-	-	-	-	-
5400636	OROSI HIGH SCHOOL	NTNC	14	1200	-	-	-	-	-
5400797	TULARE CO CORRECTIONAL CTR RD CAMP	NTNC	19	500	Y	-	-	-	-
5400824	SULTANA CSD	C	180	775	Y	-	-	-	-
5400917	SHOP N GO	NC	1	25	Y	-	Y	Y	3/28/2016
5401003	EAST OROSI CSD	C	106	700	-	-	-	-	-
5401076	GOLDEN STATE VINTNERS	NTNC	3	46	Y	-	-	-	-

Attachment H – Early Action Plan: November 2019 Draft

Table 2-4 Treatment of Water Systems with Nitrate-Impacted Wells (Shaded cells indicate past exceedance)

DDW No.	System Name	PWS Type	No. of Connections	Population Served	Has A Treated Water Source Filed with DDW?*	Nitrate Treatment Mentioned in Source Name	Has Nitrate Samples from Treated Source(s) Filed with DDW?	Has Treated Sources with Nitrate Exceeding MCL (> 10 mg/L as N)?	Most Recent Exceedance for a Treated Source
5401082	VENTURA COASTAL, LLC - VISALIA DIVISION	NTNC	5	50	Y	-	-	-	-
5401094	RJ'S TRAVEL CENTER	NC	1	103	-	-	-	-	-
5402022	TRAVER VALLEY FARMS	NTNC	3	25	Y	-	-	-	-
5402024	KINGS RIVER MARKET	NC	2	100	Y	Ion Exchange	Y	-	-
5402039	SEVILLE MARKET	NC	4	100	Y	-	-	-	-
5402043	MONSON MARKET	NC	2	30	Y	-	-	-	-
5402047	GLEANINGS FOR THE HUNGRY	NC	12	31	Y	Blending	Y	Y	2/5/2019
5402056	PEOPLES GROCERY	NC	2	100	Y	-	Y	-	-
5403041	FAMILY TREE FARMS	NTNC	3	30	Y	Ion Exchange	Y	Y	4/15/2019
5403043	YETTEM WATER SYSTEM	C	64	350	Y	Blending	Y	Y	2/7/2013
5403045	IMMANUEL SCHOOL	NTNC	1	35	-	-	-	-	-
5403046	VISALIA CITRUS PACKING-ORANGE COVE	NTNC	7	70	Y	-	Y	-	-
5403080	FRUIT PATCH INC	NTNC	1	125	-	-	-	-	-
5403081	PETERS FRUIT FARMS, INC	NTNC	1	125	-	-	-	-	-
5403114	TRAVER FEEDMILL PWS	NTNC	3	85	Y	-	-	-	-
5403152	MOUNTAIN VIEW COLD STORAGE	NTNC	3	135	-	-	-	-	-

Attachment H – Early Action Plan: November 2019 Draft

Table 2-4 Treatment of Water Systems with Nitrate-Impacted Wells (Shaded cells indicate past exceedance)

DDW No.	System Name	PWS Type	No. of Connections	Population Served	Has A Treated Water Source Filed with DDW?*	Nitrate Treatment Mentioned in Source Name	Has Nitrate Samples from Treated Source(s) Filed with DDW?	Has Treated Sources with Nitrate Exceeding MCL (> 10 mg/L as N)?	Most Recent Exceedance for a Treated Source
5403205	PENA'S DISPOSAL SERVICES	NTNC	4	77	Y	Ion Exchange	-	-	-
5403210	HAPPY APPLE A CALIFORNIA CORPORATION	NTNC	30	25	-	-	-	-	-
5403211	BOOTH RANCHES LLC	NTNC	3	110	Y	-	-	-	-
5410001	CUTLER PUD	C	1218	6200	Y	-	-	-	-
5410002	DINUBA, CITY OF	C	6719	24657	Y	-	Y	-	-
5410008	OROSI PUBLIC UTILITY DISTRICT	C	1628	8770	Y	-	-	-	-
5410040	CENTRAL VALLEY WATER COMPANY	NTNC	90	0	-	-	-	-	-




Figure 2-3. Treatment Status for Water Systems that have Wells with Nitrate-Impacted Samples

2.4 Potentially Impacted Domestic Wells

Figure 2-4 illustrates the locations of potentially impacted domestic wells and areas of elevated nitrate (7.5 mg/L to 10 mg/L NO₃-N, and > 10 mg/L NO₃-N). These areas were used along with DWR spatial coverage of domestic well counts compiled for each township/range-section. DWR provides the number of domestic wells in these one-mile by one-mile sections, based on the WCR records. It was assumed that any domestic wells within the boundaries of a PWS would not be used for drinking and were removed from this estimation of the number of potentially impacted domestic wells. There are approximately 532 domestic wells within the PWS residential service areas (this is based on DWR's section location assignment in the WCR records). It is unknown whether any of these wells are still being used even though they are potentially in a PWS area.

To estimate the number of wells potentially impacted by elevated nitrate, domestic wells were placed into six groups:

- *Group 1* - Groundwater in the Upper Zone with nitrate as N at or below 2.5 mg/L as N;
- *Group 2* - Groundwater in the Upper Zone with nitrate as N above 2.5 mg/L as N and at or below 5.0 mg/L as N;
- *Group 3* - Groundwater in the Upper Zone with nitrate as N above 5.0 mg/L as N and at or below 7.5 mg/L as N;
- *Group 4* - Groundwater in the Upper Zone with nitrate as N above 7.5 and at or below the MCL of 10 mg/L;
- *Group 5* - Nitrate as N exceeding the MCL in the Upper Zone; and
- *Group 6* - Unknown category because the domestic well(s) are located where insufficient nitrate data exist in the Upper Zone to perform the spatial interpolation of ambient nitrate conditions.

The total number of wells outside PWS boundaries was compared to the number of wells in each elevated nitrate category to provide an estimate of the percent of domestic wells potentially impacted by elevated nitrate in the groundwater. **Table 2-4** summarizes the results of this analysis.

To estimate the population potentially impacted by elevated nitrate in domestic wells, 2010 census block data were mapped and joined with the ambient Upper Zone nitrate concentrations occurring outside of PWS boundaries. The population was summed for all census blocks outside PWS boundaries and within the Management Zone for those areas with nitrate concentrations in the Upper Zone (using the six categories of nitrate concentration described above). Table 2-4 summarizes the results of this analysis.




Figure 2-4. Domestic Wells Located Outside Public Water System Areas in the Kings/AID Subbasin

Table 2-4. Summary of Domestic Wells and Population with Estimated Upper Zone Nitrate Area Categories Located Outside PWS Boundaries

Estimated Upper Zone Ambient Nitrate (2000-2018)	DWR Domestic Well Count by Township & Range-Section		2010 Census Block Analysis
	Domestic Well Count Outside of PWS Boundaries	% of Total Domestic Wells Outside PWS	Population Outside PWS Boundaries
Group 1: ≤ 2.5 mg/L NO₃ as N	324	11%	1,240
Group 2: $> 2.5 - 5.0$ mg/L NO₃ as N	125	4%	1,347
Group 3: $> 5.0 - 7.5$ mg/L NO₃ as N	452	16%	3,158
Group 4: Elevated Nitrate ($> 7.5-10$ NO₃ mg/L as N)	426	15%	2,115
Group 5: High Nitrate (> 10 mg/L NO₃ as N)	1,198	41%	11,190
Group 6: Unknown*	382	13%	2,518
Total (Outside PWS Boundaries)	2,907	100%	21,569

*Domestic wells or Census Blocks are located in a "Gap Area", where insufficient Upper Zone nitrate data exist to do a spatial interpolation of ambient nitrate conditions.

This page intentionally left blank.

3. Existing Safe Drinking Water Programs Serving Management Zone Area

The purpose of the EAP is to provide safe drinking water to residents within the Management Zone that are drinking groundwater that exceeds nitrate water quality standards and that do not otherwise have interim replacement water that meets drinking water standards. This Section documents any existing programs within the Management Zone boundary that may be providing interim replacement water to affected residents or where the potential exists for the program to support establishment of a source of replacement water in the future. These programs will be monitored during EAP implementation and during development of the Management Zone Implementation Plan. Where appropriate the Management Zone will coordinate with these programs to minimize or avoid duplicative efforts to provide safe drinking water to Management Zone residents.

3.1 Replacement Water Settlement Agreement

The State Water Board's Office of Enforcement established a Replacement Water Settlement Agreement (RWSA) with three Central Valley agricultural water coalitions (Kaweah Basin Water Quality Coalition, Tule Basin Water Quality Coalition, and Kings River Watershed Coalition Authority) to address nitrate contamination concerns within the areas covered by the coalitions (December 24, 2018).² The RWSA requires the coalitions to "install drinking water kiosks" to ensure safe drinking water for individuals who may be impacted by nitrate contamination from nearby drinking water wells. The settlement requires installation of eight stations in parts of Tulare and King counties and southern Fresno County. According to the State Water Board, the stations are expected to provide drinking water to between 12,000 and 24,000 people, with each station serving up to 3,000 impacted residents (State Water Board News Release, January 29, 2019).³

Three of the required stations are expected to be established in the area encompassed by the Kings River Watershed Coalition Authority. One of these three stations will be located within the KRE/AID Management Zone. The development of this station within the KRE/AID Management Zone will be considered as part of the implementation of this EAP.

3.2 DAC Needs Assessment

The California Department of Water Resources (DWR) is implementing the Disadvantaged Community Involvement Program to provide a mechanism for DACs, economically distressed areas and underrepresented communities to participate in integrated water resource

² https://www.waterboards.ca.gov/water_issues/programs/enforcement/docs/2018/cv_replacement_water_sa_20181224.pdf

³ https://www.waterboards.ca.gov/press_room/press_releases/2019/pr01292019_replacement_water_agreement_enf.pdf

management planning activities within their respective areas. Through this program a Needs Assessment is currently underway within DWR's Tulare Kern Funding Area within which lies a portion of the KRE/AID Management Zone. The purpose of the Needs Assessment is to identify water management needs (water supply and wastewater) for the entities within the project area.

This Needs Assessment is being completed in two phases. Phase I is a data gathering and outreach phase that will result in the preparation of a Preliminary Needs Assessment report for the funding area. Phase II, which will result in the preparation of a Final Needs Assessment report, will provide information to support funding applications for projects that if implemented can help address identified water management needs within the funding area. The Preliminary Needs Assessment Report that includes a portion of the KRE/AID Management Zone was completed in January 2019 (Provost & Pritchard Consulting Group 2019). Information from this assessment provides information that can support the implementation of this EAP as well as support the identification of alternatives to address long-term drinking water needs within the Management Zone.

3.3 Other Programs

Placeholder: To be developed, as needed.

4. Process to Identify Potentially Affected Residents

Section 2 identified the geographic areas within the Management Zone that most likely have the potential for the underlying Upper Zone groundwater to have nitrate levels exceeding the MCL. As required by the Nitrate Control Program, the EAP should at a minimum target these areas for identification of potentially affected residents, i.e., residents that may be using this groundwater as a drinking water source. Below is a description of the methodology to ensure that this EAP adequately reaches out to these residents during EAP implementation. Section 5 below describes how the EAP will conduct outreach to residents in the Management Zone and provide alternatives to obtain safe drinking water.

The Management Zone evaluated two options for identifying residences located within areas where the underlying groundwater is expected to have nitrate levels exceeding the nitrate MCL:

- *Option 1:* Implement a process through the use of GIS mapping tools, Google Earth and County parcel ownership records to identify each residence located geographically within areas where the water quality in the Upper Zone of the underlying groundwater exceeds the nitrate MCL (see red areas in Figure 2-1). Based on the outcome of this analysis a mailing list would be developed to facilitate direct outreach (see Section 5.1.2.3.1) to residents to provide information regarding alternative sources of safe drinking water available to them through implementation of this EAP.
- *Option 2:* Develop a mailing list of all known residents within the Management Zone that are not served by a PWS that is compliant with DDW safe drinking requirements. This list would be developed through a two-step process: (1) establish database of all residents located within the geographic boundary of the Management Zone through the use of direct mail lists (e.g., voting records, County parcel records, or other mailing list(s) purchased or rented through mailing list service providers); (2) obtain water customer lists from water utilities and filter the Management Zone resident list to remove residents served by a PWS compliant with safe drinking water requirements.

The KRE/AID Management Zone will implement Option 2 to establish a mailing list for targeted outreach to conducted under this EAP. This option was selected for the following key reasons:

- A number of significant gaps exist where the underlying nitrate water quality in the Upper Zone cannot be determined with certainty.

- The majority of areas where water quality data are available have nitrate concentrations in the Upper Zone that exceed the nitrate MCL. The potential for areas with data gaps located between areas with high nitrate levels to also have nitrate that exceeds the MCL is reasonably high.
- Resources needed to determine whether residents in an area with unknown water quality should be included in the targeted outreach effort will be significant.
- The overall size of the Management Zone is not large.

Therefore, while the Option 2 approach may result in some residents unnecessarily being included in targeted outreach activities (i.e., their drinking water source is safe), the resources necessary to identify whether a residence should or should not be receiving outreach materials can be better expended on implementation of other EAP elements. Accordingly, the KRE/AID will implement Option 2 for the purposes of developing a mailing list for use in targeted outreach activities under this EAP. The mailing list will be used as described below in Section 5.1.2.3.1.

5. Temporary Drinking Water Provisions

This section of the EAP describes the specific actions planned within the Management Zone to provide access to sources of safe drinking water for residents who are dependent on groundwater from wells that supply water that exceeds the nitrate water quality objective. These actions are considered temporary but will remain available until permanent sources of safe drinking water become available within the Management Zone area. The specific actions that will be implemented to provide permanent sources of drinking water will be identified in the Management Zone Implementation Plan that will be developed within six months after the Central Valley Water Board issues its formal approval of the formation of this Management Zone (after submittal of the Final Management Zone Proposal).

5.1 Temporary Sources of Drinking Water

Safe drinking water will be provided to residents within the area of the Management Zone through the following two mechanisms: (a) Establishment of public access locations that residents may visit to obtain water on their own (Public Access Water Program); (b) Provision of water to specific residences that meet EAP applicability criteria (Alternative Water Program).

5.1.1 *Public Access Water Program*

Locations with general public access to safe drinking water will be established in areas identified as having a high likelihood of having nitrate concentrations that exceed the nitrate water quality objective in the Upper Zone of groundwater underlying the Management Zone. The type of public access method will be determined by the Management Zone based on a local determination of the type of facility that can best serve the needs of residents within a target area.

The goal of this EAP is to establish up to four public access water facilities (PAWFs)⁴ in areas that (a) are estimated to have nitrate concentrations of 10 mg/L (nitrate as N) or greater in the Upper Zone of the groundwater underlying the Management Zone; and (b) are not currently served by an existing PWS or state/local small water system that provides drinking water not contaminated by nitrate above 10 mg/L (nitrate as N).

⁴ Replacement water provided to local residents to comply with the Water Replacement Settlement Agreement (RWSA) established in the area may be included in this number of PAWFs planned for the Management Zone.

Figure 5-1 illustrates the planning areas within the Management Zone targeted for establishment of a PAWF.⁵ Each planning area is represented as a circle with a radius of five or six miles. This figure is for planning purposes only. Figure 5-1 identifies four planning areas with elevated nitrate targeted for development of a PAWF location; however, the actual number of locations established within the Management Zone and their specific locations will depend on identifying sites that meet the site-specific requirements described below, e.g., securing permission from land/property owners to allow their property to be used as a public access location for safe drinking water.

The following subsections describe the types of PAWFs that will be evaluated for implementation within the targeted planning areas shown in Figure 5-1 and the implementation approach to establish these facilities.

5.1.1.1 Public Access Water Facility Types

Two types of public access facility types will be considered for implementation within the KRE/AID Management Zone: (a) water filling stations; and (b) vendor-supplied water facilities. The following sections describe the minimum requirements for establishing these types of facilities. Section 5.1.1.2 below describes the implementation approach to establish these facilities.

5.1.1.1.1 Water Filling Stations

A filling station is an independent water-dispensing facility connected directly to a PWS that meets safe drinking water standards and is constructed and operated as required by state and federal regulations (as required to meet implementation of the California Safe Drinking Water Act as defined in the California Health & Safety Code and Titles 17 and 22 of the California Code of Regulations). The facility will be made available to area residents at no cost. The following sections describe the requirements to establish a filling station.

Requirements to Establish a Filling Station

The following criteria must be met to establish a filling station location:

- Management Zone is able to obtain permission to install and operate a filling station on land or property owned by a third party.
- Station receives its water from an existing PWS that complies with state requirements to provide safe drinking water.
- To the extent practical, the station location is within a commerce center that serves outlying areas.

⁵ The potential targeted locations for PAWFs described or illustrated in this document are conceptual for planning purposes only. Actual locations or diameter of the area to be served may be modified as further information regarding water supplies and available properties for siting a PAWF are identified. In addition, locations may be adjusted depending on where replacement water already has been provided to comply with the RWSA.




Figure 5-1. Targeted Planning Areas for Establishing Public Access Water Locations to Obtain Safe Drinking Water

- Source of water to the station has sufficient capacity to dispense water at a reasonable rate to fill up multiple containers (up to five-gallons) within a short period of time (target of 1.5-2 gallons/minute, consistent with California regulations for faucets in new residential construction).
- Establishment of a filling station is not expected to create any safety issues for users, e.g., location is in a well-lit area and typically regular traffic occurs in the area.
- Vehicle access/parking is available, sufficient to not cause any unnecessary congestion.
- Public access to the facility will be made available as many hours/day and week as possible. The goal is to identify locations where the facility can be open 24 hours/7 days per week, but it is recognized that (a) establishing facilities that are always open may not be possible in some areas; and (b) operation of a facility should not create noise impacts to local residents who may live near a facility. Accordingly, as part of the siting selection process and establishment of operational parameters for a facility, the potential impact of facility operation on adjacent properties will be considered during the site development process.

Facility Requirements

Water filling station design, construction and operation and maintenance (O&M) requirements will be consistent with state and federal regulations. Verification that the facility meets applicable regulatory requirements will occur as part of the development of the filling station site. If available, the Management Zone may use the specifications from other approved filling stations in the Central Valley Region as a template for the design and implementation of filling stations established under this EAP. Ongoing maintenance activities will be documented in the EAP status reports (see Section 5.4).

5.1.1.1.2 Vendor-Supplied Water Facilities

A vendor-supplied water facility is a location where containers with safe drinking water are available for pickup by the general public. Locations may be public or private facilities, including, but not limited to: government offices, community centers, churches, or retail outlets. Through the establishment of appropriate agreements, water vendors provide a facility with a supply of water containers for pick-up by residents within the area. The facility is only responsible for storing containers (full or empty) and servicing residents, as needed, e.g., by allowing them free access to a location within their facility where the resident can drop off empty containers and pickup full containers. The Management Zone is responsible for securing and managing the services of a water vendor and paying for the cost of the water.

Requirements to Establish a Vendor-Supplied Water Facility

The following criteria must be met to establish a facility under this program:

- Permission can be secured from the property owner to store water containers for pickup and empty containers returned by the public.

- Water is obtained from a vendor that complies with all applicable state and federal regulations and is able to keep the facility supplied (Note: The amount of water maintained on site will be estimated initially and adjusted as needed during implementation).
- Water is available in containers of varying sizes up to 5-gallons.
- Visitors can freely access water containers and drop off empty containers without need for any documentation or need to get into a secured or limited-access area within the facility.
- Public access to the facility will be made available as many hours/day and week as possible. The goal is to identify locations where the facility can be open 24 hours/7 days per week, but it is recognized that establishing facilities that are always open may not be possible. The hours of operation will be determined collaboratively with the owner of the facility.

5.1.1.2 Implementation Approach

Selection of the specific type of PAWF that will be developed within any given area of the Management Zone will be based on the options locally available within the targeted area. For example, in more rural areas there may be limited options available to access a PWS to connect to a water filling station. In those areas, a vendor-supplied water facility may be the best option available. Once implementation of the EAP begins, the following process will be implemented to finalize locations for public access to safe drinking water and implement the process to establish these facilities (see Section 6 for schedule of implementation):

- Identify final locations for installation of a PAWF through the completion of the following activities:
 - Identify potential landowners/property owners (any entity with a proprietary interest in the land upon which a PAWF may be established) within each targeted planning area that are potential locations for siting a facility. The list for each planning area may be prioritized based on factors such as groundwater quality conditions, location of the site within a Management Zone, proximity to sites in other Management Zones, and the likelihood to meet the criteria provided in Section 5.1.1.1.
 - Contact potential land/property owners to initiate discussions regarding establishment of a PAWF on their property and identify land/property owners willing to enter into an agreement to establish a facility on their property.
 - Establish any necessary agreements to formalize use of the property as location for a PAWF.

If no land/property owner can be identified in the targeted planning area, an alternative location for the facility will be developed taking into account the locations of other established or planned facilities within the area covered by this EAP.

- Develop the appropriate documentation to establish and implement the PAWF:
 - *Water Filling Stations* – Prepare the station design, installation/construction-related documents, operational procedures, O&M requirements, approvals/agreements, etc.;

- prepare any necessary supporting regulatory-related documents (e.g., permit applications) to support project.
- *Vendor-supplied Water Facility* – Establish agreement with vendor(s) that can (a) provide drinking water in containers at volumes and the frequency initially requested; and (b) increase the supply of containers if needed in a timely manner. Facilitate any necessary agreements between the facility and the vendor, e.g., development of operational/delivery procedures to ensure water is available for public pickup and empty containers are regularly picked up for reuse.
 - Establish the PAWF:
 - Water Filling Stations:
 - Submit documentation to appropriate entities for review and, where necessary, approval.
 - Construct/install the filling station, as approved by the appropriate authorities.
 - Establish agreements/contracts as needed to (a) establish operational procedures (e.g., responsibilities for problems that arise during operation such as malfunctions, misuse or vandalism, etc.), (b) ensure appropriate O&M occurs at the facility; and (c) and determine how the land/property owner will be compensated for water obtained from the filling station.
 - Establish process (including agreements with vendors) to provide residents access to an appropriate number of empty water containers for use at the facility.
 - Monitor the facility, as needed to ensure it remains in service and obtain data on facility usage.
 - Vendor-supplied Water Facility:
 - Establish agreements/contracts with vendor(s) as needed to implement the program at the facility.
 - Initiate vendor services.
 - Monitor the program, as needed, to ensure program requirements are satisfactorily met (including ensuring adequate water is available for pickup) and obtain data on facility usage.
 - Conduct community outreach within the Management Zone, including public notice of newly available PAWFs, as described in Section 5.2.
 - Notify the Central Valley Water Board when new PAWFs become operational.

5.1.2 **Alternative Water Program**

Residents unable to use one of the PAWFs established in the Management Zone area may participate in the Management Zone’s Alternative Water Program (AWP), if specific criteria are met. The sections below describe this program and criteria to participate.

5.1.2.1 **Alternative Water Program Options**

The KRE/AID Management Zone AWP includes two options:

- *Bottled Water Delivery* – Regular bottled-water deliveries will be made to participating residences at no cost by a bottled-water vendor established by the Management Zone. Bottled water delivery is available to any resident that qualifies for the AWP as described in Section 5.1.2.2. The initial volume of water delivered on a monthly basis to a household will be _____ [Placeholder to allow additional discussion by Management Zone]. This initial volume may be modified at an individual residence as discussed in Section 5.1.2.3.4.
- *Point of Use (POU) Treatment System* – This option includes installation of a reverse osmosis (RO) treatment unit under the sink where water is to be provided in the household for drinking or cooking, e.g., under the kitchen sink. A POU treatment system requires periodic maintenance (e.g., filter cartridge replacement). This option is available as long as the residence meets the technical requirements for implementation of a POU system (see Section 5.1.2.3.2). Maintenance of the POU treatment system will be paid for by the Management Zone as long as the EAP is effective.

Residents that meet the criteria to participate in the AWP may select either option as long as the option-specific requirements specified below are met.

5.1.2.2 **Qualifications to Participate in the Alternative Water Program**

Residents may participate in the AWP if they are unable to access a PAWF (e.g., because of lack of mobility or transportation) and do not have access to water that meets the nitrate primary drinking water standard. Any resident located within the area covered by this EAP may request to participate in the AWP. A request to participate in the AWP may be made to the Management Zone governing body (see **Attachment A**). The Management Zone may confirm the resident requesting participation in the AWP meets the following eligibility criteria (however, no personal or medical information is required to be submitted):

- Residence is within the Management Zone and does not receive drinking water from a PWS where state- and/or county-mandated testing indicates the PWS complies with nitrate water quality standards.
- Current drinking water source at the residence contains nitrate concentrations above the drinking water standard of 10 mg/L (nitrate as N). If appropriate data to assess this criterion are not available, the resident will request that their drinking water source be tested at no cost to them.

- If alternative water is provided through a third-party and the third-party provider requires the resident to sign an agreement to participate in the AWP (e.g., to receive bottled water or have a POU treatment system installed and maintained), the resident must be willing to sign the agreement and meet the third-party provider agreement's terms and conditions.

When making a request to participate in an AWP, the resident will include recent water quality test results (within the last 2 years; from a certified laboratory) from the drinking water source at the residence. If the drinking water source has not been tested or the data are not recent or from a certified laboratory, the Management Zone will test the water at no cost to the resident. In this instance, the Management Zone will contact the resident to arrange to have the water tested.

5.1.2.3 Alternative Water Program Implementation Approach

The sections below provide information on how the Management Zone will implement the AWP under this EAP.

5.1.2.3.1 Mailout to Residents within Early Action Plan Area

Section 4 of this EAP describes the process for identifying residents within areas of the Management Zone that will be targeted for outreach under this EAP. The Management Zone will conduct an initial mailout of information regarding EAP implementation to each of these residents per the schedule in Section 6.1. This information packet, which will be sent via regular mail, will include the following:

- Cover letter that explains the EAP and how its implementation may apply to their residence.
- Educational pamphlet regarding nitrate in drinking water as a potential health concern.
- Identify locations that have been established within the Management Zone to provide public access to safe drinking water (as established under Section 5.1.1).
- Describe how to request participation in the AWP, including: (a) criteria to participate; (b) AWP options available and requirements to implement the option at their residence; and (c) information regarding how to request an AWP option including what the residence needs to do to have its well tested, if needed.
- Program representatives or website to contact to obtain more information.

Per the schedule in Section 6.1, a second and third mailout of this information will be sent to the same addresses targeted in the initial outreach effort to ensure new tenants of these properties are aware of the alternative water supplies available to them. Prior to conducting these follow-up mailout activities, the Management Zone will review the information used to develop the mailing list in Section 4 to determine if there is a need to update the mailing list.

5.1.2.3.2 Responding to Requests to Participate in the Alternative Water Program

Upon receipt of a request to participate in the AWP, the Management Zone will complete the following activities:

- Review the request to participate in the AWP for completeness and confirm that the residence meets the eligibility requirements of the AWP (e.g., verify that the residence is within the area covered by the EAP) and the AWP option selected (Note: If it is necessary to contact the resident by telephone, contact will be made by a Management Zone representative):
 - If the request indicates that the resident’s drinking water source needs to be tested for nitrate, the resident will be contacted to schedule sampling of the well by a representative of the Management Zone. Sample collection and laboratory analysis will follow standard State-approved methods.
 - If necessary, based on the request to participate in the AWP, the Management Zone may contact the resident to confirm that obtaining water from a PAWF established within the Management Zone is not a viable option.
- Prepare a response to each request to participate in the AWP:
 - Approved requests for participation in the AWP will receive a letter of confirmation from the Management Zone that includes:
 - Statement that the resident is approved to participate in the AWP. This statement will be provided in one of the following ways:
 - The requested AWP option (bottled water or POU) has been approved; or
 - The request to participate in the AWP is approved, but the request for installation of POU treatment system cannot be approved for technical reasons, as described in the letter.⁶ Residents that receive this response will be offered bottled water delivery as an alternative.
 - If the Management Zone tested the resident’s water for nitrate, the letter will also include a copy and explanation of the sample results.
 - Information regarding how alternative water service will be initiated (e.g., initiating bottled-water delivery with an approved Management Zone vendor or scheduling installation of a POU treatment system at the residence).
 - For residents participating in the bottled water delivery option, the amount of water delivery approved for the residence (based on the information provided in the request to participate in the AWP regarding the number of people in the household at the delivery address).

⁶ Per National Sanitation Foundation/American National Standards Institute (NSF/ANSI) performance standards for a POU RO treatment system to be effective at removing nitrate to meet drinking water standards, nitrate concentrations in the influent should be less than 27 mg/L nitrate (measured as N) and less than 3 mg/L nitrite (measured as N) ($\pm 10\%$) with a system water pressure of 280 kilopascals (kPa or 40 pounds per square inch gauge (psig) or greater.

- If a resident’s application to participate in the AWP is not approved, the following procedures apply:
 - The resident will receive a letter of denial from the Management Zone that states the reason for why the request was denied.
 - If the reason for denial is because the applicant’s drinking water has a nitrate concentration below the water quality objective of 10 mg/L nitrate (as N), the letter will include a copy and explanation of the sample results. If the nitrate concentration in the sample is greater than 8 mg/L nitrate (as N), the resident may request that the well be re-tested at least one year after the initial test was completed and annually thereafter as long as this EAP is effective. Re-testing the well will be done at no cost to the resident.
 - The letter will include steps that may be taken by the resident to appeal the decision, if it is believed that an error has been made in the decision.

5.1.2.3.3 Alternative Water Program Vendors

The Management Zone may select one or more vendors to implement the AWP options. It is the responsibility of the Management Zone to ensure that agreements with vendors to provide AWP services remain in effect as long as the EAP is effective. Residents participating in the AWP are responsible for the following:

- Residents may be required to establish an agreement with a third-party vendor to receive alternative water services. Residents are responsible for establishing any necessary agreements and complying with the terms and conditions of any signed agreements.
- For residents receiving bottled water delivery, the resident is responsible for working with the third-party vendor to schedule delivery of bottled water and pickup of empty water containers.
- For residents that will have a POU treatment system installed, the resident is responsible for working with the third-party vendor to schedule installation of the POU system and any normal maintenance of the POU treatment system, e.g., replacement of a cartridge filter. In addition, the third-party vendor will provide information to the resident regarding how to maintain the POU treatment system in the event maintenance is no longer supported by the Management Zone because a permanent source of safe drinking water is available to the resident.

5.1.2.3.4 Long-term Alternative Water Program Management

Approximately three months after implementation of an AWP at a residence, the Management Zone will contact the residence to verify one of the following: (a) the amount of bottled water being provided on a monthly basis is sufficient; if that current volume is too much or too little, the Management Zone will work with the resident on determining an appropriate volume to deliver; or (b) the POU treatment system has been installed by the third-party vendor and the

resident understands the maintenance requirements associated with the POU system. Throughout EAP implementation, the Management Zone will have staff available to answer questions or address concerns from residents participating in the AWP.

5.2 Community Outreach Program

This EAP includes a number of community outreach activities designed to support establishment of temporary sources of safe drinking water until long-term solutions to provide safe drinking water within the Management Zone are implemented. These activities support both general community outreach efforts to the Management Zone and targeted outreach to residents that reside in areas within the Management Zone with groundwater that likely exceeds the nitrate water quality objective. At minimum, to support the Community Outreach Program elements below, the Management Zone will prepare all materials, or have the ability to converse, in a language or languages appropriate for the Management Zone area (as determined through community outreach activities). Key elements of the outreach program are described in the following sections.

5.2.1 Management Zone Website

The Management Zone will have a dedicated website for the posting of outreach-related activities, including community outreach meetings, informational materials developed under this EAP, locations and operational hours of PAWFs, and the process to request participation in the AWP. The Management Zone will work with both dischargers and non-dischargers in the Management Zone to provide a link on their respective websites directing users to information regarding the EAP safe drinking water program.

5.2.2 Informational Materials

The Management Zone will develop informational materials for use in various forums, e.g., public meeting handouts, information packets mailed out to residents, brochures made available to the public at selected locations or for incorporation in routine mailouts to local residents, such as utility bills. At minimum, the following informational materials will be developed for EAP use (these materials may be tailored to specific audiences or others may be developed, as needed):

- Educational pamphlet regarding nitrate in drinking water as a potential health concern.
- Purpose for establishment of the Management Zone and the EAP, including (a) the programs that have been established to ensure residents in the area have safe drinking water; and (b) identification of program representatives or website to contact for more information.
- Locations of operational PAWFs (as established under Section 5.1.1), including information regarding how to obtain water containers and how to use the facilities.

- Alternative water options available under the EAP, including information regarding how to request participation in the AWP.

5.2.3 Non-Discharger Coordination and Outreach

The KRE/AID Management Zone will coordinate with entities within the Management Zone that are not dischargers subject to the requirements of the Nitrate Control Program but have a potential role in the management of water that may be used as a drinking water supply. The purpose of this coordination is to facilitate the following: (a) identification of potentially affected residents (see Section 4); (b) establishment of alternative sources of drinking water under this EAP; (c) outreach to residents within the Management Zone; and (d) development of long-term solutions for providing safe drinking water to residents for inclusion in the Management Zone Implementation Plan that will replace this EAP in the future.

Table 5-1 identifies key categories of non-dischargers within the Management Zone where coordination will be important to support implementation of this EAP. Table 5-1 also identifies the key roles for these non-dischargers. These non-dischargers may have an important role in the siting of PAWFs to provide free access to safe drinking water to local residents in the Management Zone (see Section 5.1.1) and may assist with community outreach meetings as described below. Many of these non-dischargers participated in the establishment of the KRE/AID Management Zone, including development of this EAP (see Preliminary Management Zone Proposal for entities that participated in the development of the Management Zone).

Coordination with non-dischargers will continue through implementation of Management Zone activities, including this EAP. In particular, the Management Zone will implement the following activities in collaboration with non-dischargers (these activities may be supplement as needed to facilitate EAP implementation):

- Identify opportunities to work collaboratively with non-dischargers to share EAP-related information at public or private meetings, e.g., workshops to inform local agencies of the EAP program, presentations at County Board meetings, trade group meetings, community meetings led by NGOs, other entities, etc.
- Identify and develop outreach materials that may be sent to constituents associated with non-dischargers that are tailored to the target audience.
- Seek participation by representatives of non-discharger organizations in community outreach meetings to assist with EAP implementation, especially in the local community.
- Keep the Central Valley Water Board and DDW informed (outside of regular EAP status reports) of any issues or concerns that may be developing through program implementation.

Table 5-1. Key Non-Dischargers in KRE/AID Management Zone

Attachment H – Early Action Plan: November 2019 Draft

Non-Discharger Category	Key Role(s) in EAP Implementation
Fresno County	Board of Supervisors – Dissemination of information to County residents; support approval of EAP-related projects
	Public works and Planning Development – Support approval of EAP-related projects
	Department of Public Health– Support implementation of EAP-related activities
Tulare County ¹	Board of Supervisors – Dissemination of information to County residents; support approval of EAP-related projects
	Tulare County Resource Management Agency – Support approval of EAP-related projects
	Health and Human Service Agency – Support implementation of EAP-related activities
Incorporated Communities ¹	Given the presence of commerce centers in these locations, some of these communities may be targeted for establishment of a PAWF. Coordination with these communities can facilitate establishment of a PAWF.
Unincorporated Communities/ Census-Designated Places	Potential to have commerce centers where PAWFs may be located. Coordination with these entities can facilitate establishment of the facility.
Central Valley Water Board	Ensure that EAP development and implementation is consistent with Nitrate Control Program requirements
State Water Board DDW	Ensure that filling stations meet state and federal regulations for dispensing drinking water
Non-governmental Organizations (NGOs)	Organizations represent various community interests within the Management Zone and can assist with implementation of EAP elements, especially activities related to community outreach. Key participants to date have included Self-Help Enterprises, Clean Water Action, and Community Water Center.
Groundwater Sustainability Agencies	The Kings River East GSA boundary aligns closely with the Management Zone boundary. EAP implementation activities involving use of water will be coordinated with this GSA, which can also assist with dissemination of information within their jurisdictions
Trade Organizations	Trade organizations may represent various facilities that are dischargers within the Management Zone. Key participants to date have been the Kings River Watershed Coalition (also known as the Kings River Water Quality Coalition), California League of Food Producers and Dairy Cares. These non-dischargers can assist EAP implementation through dissemination of information through their members (which may be dischargers) and community outreach activities.
Other Key Entities	The Alta Irrigation District and Kings River Conservation District have been active participants in the development Management Zone and will continue to support implementation of Management Zone activities, including this EAP. The Management Zone will coordinate with other appropriate non-discharger entities as needed during EAP implementation.

¹ Some entities may be participating in the EAP as dischargers subject to the requirements of the Nitrate Control Program.

[NOTE: These activities may be further developed or tailored if needed prior to EAP submittal if it is determined that specific key non-dischargers need to be targeted for outreach during EAP implementation]

While the above activities focus on EAP implementation, coordination with non-dischargers will also support the development and implementation of nitrate control activities within the Management Zone through the Management Zone Implementation Plan.

5.2.4 Community Outreach Meetings

The Management Zone will conduct periodic community outreach meetings to support EAP implementation, especially during the period of time when PAWFs are in early development. Meetings will be scheduled on days or at times that best meet the needs of the community. At least three rounds of community outreach meetings will be conducted:

- *Initial Public Outreach Meetings* - Within the first six months of EAP implementation, an initial community outreach meeting will be held in at least two locations targeted by the EAP within the KRE/AID Management Zone. The purpose of this initial meeting is to explain the EAP program, describe the process for establishment of PAWFs, identify areas being targeted for establishment of a public access location, present how residents may request participation in the AWP, and discuss how the local community can become involved in the program.
- *Second and Third Community Outreach Meetings* – The second and third rounds of community outreach meetings will each be held in at least two locations within the area targeted by the EAP. The second round will occur after at least two PAWFs are operational; the third round will occur after all four planned facilities are operational. Meeting content will be similar to the initial meetings but expanded to provide updates on EAP implementation and share information on the location and use of the PAWFs.

Additional community outreach meetings may be scheduled after all PAWFs are operational. The Management Zone will request participation by both non-dischargers and dischargers at the meetings and work with them to prepare meeting materials and assist with providing notice to the community of upcoming meetings.

5.2.5 Public Notice Activities

The Management Zone will notify the public of EAP-related activities including upcoming community outreach meetings, opening of operational PAWFs, options to participate in the AWP, and availability of safe drinking water informational materials. Public notices may be implemented through the use of one or more of the following methods:

- Direct mail marketing to all Management Zone residents;
- Newspaper notice in local and regional newspapers within the Fresno, Kings and Tulare County area;

- Social networks such as Nextdoor or Facebook;
- Organizational websites, e.g., Management Zone website (see Section 5.2.1), Kings River Water Quality Coalition, or Central Valley Water Board; or
- Others, as determined by the Management Zone.

Specific public notice requirements include:

- Notice of any upcoming community outreach meetings will be made no later than 30 days prior to the meeting.
- Notice of the opening of a new PAWF will be made within 30 days after the facility becomes operational and include the location and hours of operation of the facility, instructions on how to use the facility and information regarding how to obtain water containers (if the new facility is a water filling station).
- Preparation of the notice in English and Spanish, or other languages if determined necessary.
- Content will be tailored to the purpose of the notice and clearly describe where additional information may be obtained from a program representative or website.

5.2.6 Targeted Outreach

The Management Zone will conduct targeted outreach to residents within the Management Zone that are not served by a PWS that is compliant with safe drinking water requirements, as determined under Section 4. The purpose of this outreach is to (a) provide additional notice of the availability of PAWFs for safe drinking water; and (b) provide opportunity for residents to request participation in the AWP. See Section 5.1.2.3.1 for additional information regarding this targeted outreach and Section 6.1 for the schedule of targeted outreach activities.

5.3 Monitoring and Data Management

The Management Zone will maintain records that document the types of information described below. This information will be used to adaptively manage and implement the EAP and support development of permanent drinking water solutions for the Management Zone.

5.3.1 Public Access Water Facilities

The Management Zone will monitor each PAWF to obtain the following data: (a) volume of water dispensed or number of water containers picked-up; and (b) dates and times that water is dispensed/picked up. At a minimum, this information will be analyzed periodically to:

- Determine patterns of usage at each facility;
- Evaluate whether additional PAWFs are needed because of high demand at specific locations; and

- Provide a basis for compensating the land/property owner for water usage.
- Determine whether any vendor-supplied water facilities need to maintain additional water supplies.

If periods of high usage are identified at any water filling station, additional site monitoring may be temporarily conducted to determine the degree to which lines may be forming causing significant delays in obtaining water or congestion at the site.

5.3.2 *Alternative Water Program*

The Management Zone will maintain a database(s) and electronic files with the following information as part of the implementation of the AWP:

- Residences that were sent an information packet as part of the targeted outreach conducted to Management Zone residents (see Section 5.1.2.3.1). When a packet is returned as undeliverable, this information will be noted in the database.
- Number of requests received to participate in the AWP.
- Requests received from residents to have their water tested, the date that the water was tested and the test results.
- Letters of approval or denial to participate in the AWP. For letters of denial, the number of residences that appealed the denial and the resolution of each appeal.
- Status of implementation of the AWP for each approved resident, including information regarding:
 - For residences receiving bottled water, when delivery of bottled water began and documentation on usage of water (to be provided by third-party vendor);
 - For residences having a POU treatment system installed, when the POU system was installed and follow-through on required maintenance (to be obtained from third-party vendor).
 - Follow-up contact with residences to verify AWP implementation.
 - Documentation of any residents that were approved for AWP participation but did not actually implement the program at their residence.

5.4 Reporting

The Management Zone will submit to the Central Valley Water Board an EAP status report after six months and annually thereafter per the scheduled provided in Section 6.1. Each report will address the following:

Attachment H – Early Action Plan: November 2019 Draft

- Status of implementation per the schedule established by this EAP (see Section 6.1). Where a schedule has not been met as planned, the report will document the reason for the delay and a revised schedule to complete the delayed activity.
- Status of implementation and participation in the Public Access Water Program and AWP.
- Summary of O&M activities completed at operational filling stations.
- Program expenditures during the reporting period and anticipated costs to implement the next reporting period.
- Requests to modify the EAP based on knowledge gained and findings from monitoring data (Section 5.3) (see also Section 1.5 regarding modification of the EAP).

This page intentionally left blank

6. Early Action Plan Implementation

6.1 Schedule/Milestones

Table 6-1 provides the schedule and milestones for the implementation of the EAP. This schedule is based on the implementation approach provided in the above sections. If it is necessary to modify the schedule or milestones, the Management Zone will request modification by letter or as part of the submittal of an EAP status report (see Section 5.4). The request will be made to the Executive Officer of the Central Valley Water Board and include a description of the proposed modification, the reason(s) for the requested change and a proposed new schedule and/or milestones.

6.2 Roles and Responsibilities

Placeholder - to be determined through Management Zone Steering Committee

6.3 Funding

6.3.1 Program Cost

Table 6-2 provides a summary of the estimated costs to implement this EAP along with the basis for some of the costs, e.g., expenses.

6.3.2 Program Allocation

Placeholder - to be determined

6.3.3 Funding Mechanism

Placeholder - to be determined

Table 6-1. EAP Implementation Schedule

EAP Element		Task	Schedule/Milestones
Resident Identification		Identify residences in area covered by EAP and develop mailing list to support outreach	Within 120 days of EAP effective date
Community Outreach Program	General Activities	Establish Management Zone Website	Within 120 days of EAP effective date
		Develop public notice mechanisms/outlets	
		Prepare informational materials to support community outreach activities	General materials – within 120 days of EAP effective date
			Targeted materials – as needed to support community outreach activities
	Non-Discharger Coordination & Outreach	Targeted outreach to key non-dischargers not participating in Management Zone	Within 30 days of EAP effective date
		General community outreach support	Ongoing as needed
	Community Outreach Meetings	Initial Community Outreach Meetings	Complete community outreach meetings at two locations within the Management Zone within six months of EAP effective date
		Second round of Community Outreach Meetings	Complete community outreach meetings at two locations within the Management Zone after two public access water facilities become operational
		Third round of Community Outreach Meetings	Complete community outreach meetings at two locations within the Management Zone when last planned public access water facility becomes operational
		Additional Community Outreach Meetings	As determined necessary
	Public Notice Activities	Community Outreach Meetings	Notice provided no later than 30 days prior to scheduled meeting
		Opening of a public access water facility	Within 30 days after each public access water facility becomes operational.
	Targeted Outreach	Mailout to residents within EAP area	See Temporary Water Delivery Program – Alternative Water Program below
Temporary Water Delivery Program – Public Access Water Facilities		Establish list of potential land/properties for locating a public access water facility within targeted areas	Within 30 days of EAP effective date
		Establish final list of locations and types of public access water facilities to be developed	Identify all locations within 90 days of EAP effective date
		Complete documentation necessary to establish facilities at each location (see text for requirements)	Complete documentation for each facility and seek necessary permits or approvals per the following milestones: <ul style="list-style-type: none"> Facilities 1 & 2: within 180 days of EAP effective date Facilities 3 & 4 within 360 days of EAP effective date

Table 6-1. EAP Implementation Schedule

EAP Element	Task	Schedule/Milestones
Temporary Water Delivery Program – Public Access Water Facilities (ctd)	Water Filling Station Implementation	<ul style="list-style-type: none"> Initiate installation of filling stations within of 90 days completing review and obtaining any other necessary permits/approvals. Establish final agreements with land/property owner to operate/maintain filling station – prior to station becoming operational
	Establish Vendor-supplied Water Facilities	Establish vendor and property owner agreements
	Notification Activities	Notify Central Valley Board - Within 30 days of a new facility becoming operational Notify Community – Within 30 days of a new facility becoming operational
Temporary Water Delivery Program – Alternative Water Program	Mail initial outreach packet to residents identified in Section 4 of EAP	Within 30 days prior to first public access water facility becoming operational
	Requests to test drinking water wells	Conduct tests within 30 days of request
	Issue all letters of confirmation or denial	Issue letter within 30 days of application if no water test required; within 60 days if water test is required
	Resolve all appeals to letters of denial	Complete review within 60 days of receipt of communication requesting review of denied application
	Establish third-party agreement with vendors to supply bottled water or install a POU treatment system	Within 30 days of mailout of outreach packet to residences
	Follow-up with residents participating in Alternative Water Program	Check in with each residence within 90 days after sending a letter of confirmation to verify alternative water services are being provided
	Follow-up outreach to residents identified in Section 4 of EAP	<ul style="list-style-type: none"> Send second outreach packets to residents no later than one year after initial outreach packet mailed out Send third outreach packet to residents no later than one year after sending out second outreach packet
Monitoring & Data Management	Gather monitoring data from all program activities	Compile and analyze data in a timely manner to support preparation of EAP Reports and evaluate need to modify program
Reporting	Prepare EAP status reports	Submit status reports within 30 days of the following: <ul style="list-style-type: none"> Six-months after the EAP effective date 1 year after the EAP effective date Annually after the Year 1 report until the EAP is no longer effective

Table 6-2. Placeholder for EAP budget table(s). The July draft tables will be updated by the Management Zone at a later date.

7. References

Boyle, D., A. King, G. Kourakos, K. Lockhart, M. Mayzelle, G.E. Fogg, and T. Harter. 2012 *Groundwater Nitrate Occurrence. Technical Report 4 in: Addressing Nitrate in California's Drinking Water with a Focus on Tulare Lake Basin and Salinas Valley Groundwater*. Report prepared for the State Water Resources Control Board Report to the Legislature. Center for Watershed Sciences, University of California, Davis. <http://groundwaternitrate.ucdavis.edu/>

Provost & Pritchard Consulting Group. 2019. *Preliminary Needs Assessment, Tulare Kern Funding Area, Integrated Regional Water management (IRWM) Disadvantaged Community Involvement Program*. Prepared on behalf of County of Tulare. January 2019.

Attachments

Attachment A – Sample Alternative Water Program Request Form